CONTENTS, VOLUME 90

NUMBER 1 **JANUARY 1962**

Synoptic Use of Radiation Measurements from Satellite TIROS II ... Sigmund Fritz and Jay S. Winston 1–9
Publications by Weather Bureau Authors ... 10
Objective Forecasts of Daily and Mean Surface Temperature ... William H. Klein, Billy M. Lewis, and Curtis W. Crockett 11–17
New Weather Bureau Publication ... 18
An Improved NWP Model for Forecasting the Paths of Tropical Cyclones ... Lloyd W. Vanderman 19–22
Wind Speed Measuring System, Frequency Type ... Herman H. Crouser 23–25
Modern Evaporation Formulae Adapted to Computer Use ... Wallace W. Lamoreux 26–28
The Weather and Circulation of October 1961—Retrogression of Planetary Waves in the Western Hemisphere ... James F. O'Connor 29–38

NUMBER 2 **FEBRUARY 1962**

An Investigation of the Meteorological Conditions Associated With Extreme Wind Tides on Lake Erie ... Shirley M. Irish and George W. Platzman 39–47
Recent Articles in Other Weather Bureau Periodicals ... 48
Correction ... 48
On the Occurrence of Dynamic Instability in Incipient and Developing Hurricanes ... M. A. Alaka 49–58
An Experiment in Forecasting Rainfall Probabilities by Objective Methods ... Harry R. Glahn 59–67
Possible Inhomogeneity of the Variance of the Freeze Hazard Distribution Over Arizona ... Paul C. Kangieser 68–70
The Weather and Circulation of November 1961 ... Charles M. Woffinden 71–78

NUMBER 3 **MARCH 1962**

Precipitation Estimates in the Great Lakes Drainage Basins ... Ivan W. Brunk 79–82
The Tropical Cyclone Problem in East Pakistan ... Gordon E. Dunn 83–86
A General Relation Between Frequency and Duration of Precipitation ... Leonard L. Weiss 87–88
Climatological Effect of Changeover to Hygrothermometer ... Benjamin Ratner 89–96
The Inversion "Bright Band"—A Feature of Three Winter Storms ... Patrick E. Hughes and Richard A. Wood 97–102
Synoptic Patterns for Wet and Dry Trades on the Island of Hawaii ... Richard K. Siler 103–106
The Hurricane Season of 1961 ... Gordon E. Dunn and Staff 107–119
Publications by Weather Bureau Authors ... 120
The Weather and Circulation of December 1961—Strong Blocking at High Latitudes ... Raymond A. Green 121–126

NUMBER 4 **APRIL 1962**

The Biennial Wind and Temperature Oscillations of the Equatorial Stratosphere and Their Possible Extension to Higher Latitudes ... J. K. Angell and J. Korshover 127–132
Data Processing Procedures in Numerical Mesoanalysis ... George T. Dellert, Jr. 133–146
Some Problems of Numerical Objective Analysis of Stratospheric Constant Pressure Surfaces ... Sidney Teweles and Mirco Snidero 147–155
New Weather Bureau Publication ... 156
Correction ... 156
Variations in the Annual Frequency of Tropical Cyclones, 1886–1958 ... C. L. Jordan and Te-Chun Ho 157–164
Theory of the "Equivalent Slope" ... Richard Lee 165–166
The Weather and Circulation of January 1962—A Month With Large Circulation Changes and Widespread Cold ... L. P. Stark 167–174
Weather Note
Cold Wave of January 8–11, 1962, in Montana ... R. A. Dightman 174

NUMBER 5 **MAY 1962**

Higher-Order Geostrophic Wind Approximations—G. 'Arnason, G. J. Haltiner, and M. J. Frawley 175–185
Evidence for Inertial Oscillations Along Transosonde Trajectories—J. K. Angell 186–190
Weather Notes
Surface Pressure Oscillations During a Typhoon Passage at Okinawa—C. L. Jordan 191–193
An Anomalous Snow at Oak Ridge, Tennessee—Walter M. Culkowski 194–196
A Radar Echo Configuration Associated with a Series of Waterspouts—Graden Harger and John D. Warden 197–200
Extensive Area of Persistent Stratus and Fog in Great Plains, November 27–December 2, 1961—Burton Handy 200–202
The Weather and Circulation of February 1962—A Month with Two Contrasting Regimes Associated with a Sharp Drop in Zonal Index—James F. Andrews 203–210

NUMBER 6 **JUNE 1962**

Some Features of the Annual Temperature Regime in the Tropical Stratosphere—Richard J. Reed 211–215
Correspondence
Comments on "An Investigation of the Meteorological Conditions Associated with Extreme Wind Tides on Lake Erie"—D. N. McMullen 216
Reply—Shirley M. Irish and George W. Platzman 216
Atmospheric Dispersion Over Chesapeake Bay—David H. Slade 217–224
Publications by Weather Bureau Authors 224
Weather Note
An Observation of Arcus and Funnel Clouds over Chesapeake Bay—Paul L. Hexter, Jr. 225–230
Tornadoes in Northeastern Kansas, May 19, 1960—R. A. Garrett with collaboration of Vaughn D. Rockney 231–240
Recent Articles in Other Weather Bureau Periodicals 240
Some Normal-Incidence Solar Radiation Observations During the IGY—S. Fritz and T. H. MacDonald 241–244
The Influence of Inertial Instability Upon Transosonde Trajectories and Some Forecast Implications—J. K. Angell 245–251
The Weather and Circulation of March 1962—A Month with an Unusually Strong High-Latitude Block—Julian W. Posey. 252–258

NUMBER 7 **JULY 1962**

Rocket Observations of High Level Meridional Flow Over North America During 1960 and 1961—William E. Hubert 259–262
On the Use of Tetroons for the Estimation of Atmospheric Dispersion on the Mesoscale—J. K. Angell 263–270
Mountain Waves in the Appalachians—Charles V. Lindsay 271–281
Publications by Weather Bureau Authors 282
Seasonal Temperature and Precipitation Trends at Five Minnesota Stations—Donald G. Baker 283–286
Correspondence
Comments on "Analysis of Satellite Infrared Radiation Measurements on a Synoptic Scale" and "Synoptic Use of Radiation Measurements from Satellite TIROS II"—Philip F. Clapp 287–288
Forecast Problems During the Life Cycle of a Cut-Off Low, January 20–29, 1962—Robert B. Ross and Harold M. Hess 289–298
The Weather and Circulation of April 1962—A Month with Persistent Blocking in the Pacific—Charles M. Woffinden 299–305
Suggestions for Authors 306

NUMBER 8 **AUGUST 1962**

Preliminary Study of Planetary-Scale Outgoing Long-Wave Radiation as Derived from TIROS II Measurements—Jay S. Winston and P. Krishna Rao 307–310
On Transformation of Kinetic Energy Between the Vertical Shear Flow and the Vertical Mean Flow in the Atmosphere—A. Wiin-Nielsen 311–323
A Generalized Two-Level Graphical Forecast Scheme—T. N. Krishnamurti 324–330
The Equivalence Between Certain Statistical Prediction Methods and Linearized Dynamical Methods—D. Lee Harris 331–340

North Atlantic Tropical Cyclone Activity, 1901–1960 — G. W. Cry and W. H. Haggard — 341–349
Correspondence
Comments on "Evidence for Inertial Oscillations Along Transosonde Trajectories" — Homer T. Mantis — 350
Reply — J. K. Angell — 350
Northbound Tropical Cyclone—A Case History — Richard Fay — 351–361
Note on Tropical Cyclones of 1961 — Gordon E. Dunn — 362
Weather Note
On Hurricane Alice of 1954–1955 — Thomas H. R. O'Neill and C. L. Jordan — 363–364
The Weather and Circulation of May 1962—Record Heat in the Mid-West — James F. O'Connor — 365–370

NUMBER 9 **SEPTEMBER 1962**

Hurricane Movement and Variable Location of High Intensity Spot in Wall Cloud Radar Echo — S. Neuman and J. G. Boyd — 371–374
Operational Use of Weather Radar Composites in Florida — Harry M. Hoose — 375–381
Weather Note
The First Waterspout Discovered on Satellite Photographs — L. F. Hubert — 382–384
A Method of Integrating a Radiometer Output for Climatological Studies — C. Ray Dickson — 385–390
The Magnitude and Effect of Analysis Errors over the Northeastern Pacific As Estimated from Transosonde Data — J. K. Angell — 391–397
Iowa Tornadoes — H. R. Spohn and P. J. Waite — 398–406
An Analysis of the Causative Factors of the February 1962 Floods in Utah and Eastern Nevada — Eugene L. Peck and E. Arlo Richardson — 407–413
New Weather Bureau Publication — 413
The Weather and Circulation of June 1962—A Generally Cool Month — Raymond A. Green — 414–418

NUMBER 10 **OCTOBER 1962**

An Investigation of Broadscale Vertical Motions and Precipitation in an Eastern North American Storm — W. L. Gutzman — 419–424
Summer Convective Cell Radar Patterns Over Northern and Central California — H. P. Benner, R. E. Hambidge, L. B. Overaas, D. B. Smith, and J. A. Youngberg — 425–430
Gravity Wave Over New England, April 12, 1961 — A. James Wagner — 431–436
Comments on a Mississippi Valley Cyclogenesis — Edwin B. Fawcett — 437–442
The Weather and Circulation of July 1962—A Cool Month Associated with a Strong Blocking Wave — James F. Andrews — 443–450

NUMBER 11 **NOVEMBER 1962**

Sferics Amplitude Distribution Jump Identification of a Tornado Event — Douglas A. Kohl — 451–456
Satellite Pictures of Mesoscale Eddies — L. F. Hubert and A. F. Krueger — 457–463
Recent Articles in Other Weather Bureau Periodicals — 464
Mean-Layer Wind Charts in Tropical Analysis — José A. Colón and Edward J. Zipser — 465–470
The Nature of Growing Season Frosts in and along the Platte Valley of Nebraska — Norman J. Rosenberg and Richard E. Myers — 471–476
Weather Note
An Unusual Hail Formation — Homer Mantis and George Freier — 476–478
Note on the Measurement of Skill of Probability Forecasts — Donald L. Jorgensen — 479–482
The Weather and Circulation of August 1962—Another Cool Month in the North — L. P. Stark — 483–488
Publications by Weather Bureau Authors — 489–490
New Weather Bureau Publication — 490

NUMBER 12 **DECEMBER 1962**

Air Trajectories and Turbulence Statistics from Weather Radar Using Tetroons and Radar Transponders — Donald H. Pack — 491–506
Satellite Pictures and the Origin of Hurricane Anna — Sigmund Fritz — 507–573
Weather Notes
Tornadoes Associated with Hurricane Carla, 1961 — Alexander Sadowski — 514–516
A Pinwheel Cloud Formation as Viewed by TIROS I — R. W. White — 517–518

Areal Frequencies of Hail and Thunderstorm Days in Illinois ..... Stanley A. Changnon, Jr. 519–524
Correspondence
Comments on "The First Waterspout Discovered on Satellite Pictures" ..... Donald C. Gaby 525
Reply ..... L. F. Hubert 525
Further Comments on "The First Waterspout Discovered on Satellite Photographs" ..... L. F. Hubert 526
The Weather and Circulation of September 1962—Another Cool Month ..... James F. O'Connor 527–534
Contents, Volume 90 535–537
Correction Notices 537
Index, Volume 90 539–548

CORRECTION NOTICES

Vol. 89, Dec. 1961:

p. 506, col. 2: Sentence beginning in line 5 should read "Below 200° K., it increases significantly with decreasing temperature."

p. 511, fig. 3: The extrapolation of $\mathcal{E}_\gamma^o$ curve to larger optical thickness by dashed line is inaccurate. Refer to runs (j∼m) of Walshaw's [65] experiment.

p. 512, fig. 4: Range of the ordinate should be from 0.0 to 0.6 cal./cm², min. instead of 0 to 6.

p. 527, col. 1: Beginning in line 20 from the bottom, after the semicolon the sentence should read "that by ozone, however, hardly decreases owing to the sharp latitudinal increase of ozone at this level.", eliminating the last part of the sentence.

Vol. 90, Jan. 1962:

p. 38: In col. 1 the first sentence in regard to hurricane Hattie should read: "Reaching hurricane intensity on the 27th (28th GMT), it veered sharply to the west on the 29th and hit Belize, British Honduras, with devastating force on the 31st."

July 1962:

p. 274: In figure 5, the plotted numbers show altitude (×100 ft.) instead of azimuth.

pp. 303 and 305: The maps shown in figures 7 and 9 are not the ones intended. The correct cuts for April 1962 are shown on p. 418, September 1962 issue.

Aug. 1962:

p. 362: In caption for figure 1, change 1962 to 1961.

Sept. 1962:

Table of contents: In entry for pp. 414–418, change the subtitle to "A Generally Cool Month."

Oct. 1962:

pp. 447 and 449: Cuts B and C of figures 7 and 10 are interchanged.

Nov. 1962:

p. 462: In col. 1, 15th line from bottom should read ". . . therefore the first quantity of equation (5) must remain . . .", instead of "equation (2)."

INDEX, VOLUME 90

A

Air trajectories and turbulence statistics from weather radar using tetroons and radar transponders. (17 figs.) Donald H. Pack. 491–506.

ALAKA, M. A.:
On the occurrence of dynamic instability in incipient and developing hurricanes. (12 figs.) 49–58.

An analysis of the causative factors of the February 1962 floods in Utah and eastern Nevada. (4 figs.) Eugene L. Peck and E. Arlo Richardson. 407–413.

ANDREWS, JAMES F.:
The weather and circulation of February 1962—A month with two contrasting regimes associated with a sharp drop in zonal index. (11 figs.) 203–210.
The weather and circulation of July 1962—A cool month associated with a strong blocking wave. (10 figs.) 443–450.

ANGELL, J. K.:
Evidence for inertial oscillations along transosonde trajectories. (6 figs.) 186–190.
The influence of inertial instability upon transosonde trajectories and some forecast implications. (6 figs.) 245–251.
The magnitude and effect of analysis errors over the northeastern Pacific as estimated from transosonde data. (6 figs.) 391–397.
On the use of tetroons for the estimation of atmospheric dispersion on the mesoscale. (5 figs.) 263–270.
and J. Korshover. The biennial wind and temperature oscillations of the equatorial stratosphere and their possible extension to higher latitudes. (7 figs.) 127–132.

An anomalous snow at Oak Ridge, Tennessee. (5 figs.) [Weather note] Walter M. Culkowski. 194–196.

Appalachian Mountains:
Mountain waves in the Appalachians. (9 figs.) Charles V. Lindsay. 271–276.

Areal frequencies of hail and thunderstorm days in Illinois. (2 figs.) Stanley A. Changnon, Jr. 519–524.

Arizona:
Possible inhomogeneity of the freeze hazard distribution over Arizona. (1 fig). Paul C. Kangieser. 68–70.

'ARNASON, G.:
and G. J. Haltiner and M. J. Frawley. Higher-order geostrophic wind approximations. (7 figs.) 175–185.

Atmospheric dispersion over Chesapeake Bay. (6 figs.) David H. Slade. 217–224.

B

BAKER, DONALD G.:
Seasonal temperature and precipitation trends at five Minnesota stations. (1 fig.) 283–286.

BATEN, W. D.:
and A. H. Eichmeier. Rainfall probabilities during the crop season in southern Lower Michigan. (6 figs.) 277–282.

BENNER, H. P.:
and R. E. Hambidge, L. B. Overaas, D. B. Smith, and J. A. Youngberg. Summer convective cell radar patterns over northern and central California. (9 figs.) 425–430.

The biennial wind and temperature oscillations of the equatorial stratosphere and their possible extension to higher latitudes. (7 figs.) J. K. Angell and J. Korshover. 127–132.

BOYD, J. G.:
and S. Neuman. Hurricane movement and variable location of high intensity spot in wall cloud radar echo. (3 figs.) 371–374.

Bright band:
The inversion "bright band"—A feature of three winter storms. (9 figs.) Patrick E. Hughes and Richard A. Wood. 97–102.

BRUNK, IVAN W.:
Precipitation estimates in the Great Lakes drainage basins. 79–82.

C

CHANGNON, STANLEY A., JR.:
Areal frequencies of hail and thunderstorm days in Illinois. (2 figs.) 519–524.

Chesapeake Bay:
Atmospheric dispersion over Chesapeake Bay. (6 figs.) David H. Slade. 217–224.
An observation of arcus and funnel clouds over Chesapeake Bay. (10 figs.) [Weather note] Paul L. Hexter, Jr. 225–230.

Circulation. Atmospheric:
Evidence for inertial oscillations along transosonde trajectories. (6 figs.) J. K. Angell. 186–190.
The influence of inertial instability upon transosonde trajectories and some forecast implications. (6 figs.) J. K. Angell. 245–251.

Circulation. Atmospheric—Continued
On transformation of kinetic energy between the vertical shear flow and the vertical mean flow in the atmosphere. (5 figs.) A. Wiin-Nielsen. 311–323.
Rocket observations of high level meridional flow over North America during 1960 and 1961. (3 figs.) William E. Hubert. 259–262.
CLAPP, PHILIP F.:
Comments on "Analysis of satellite infrared radiation measurements on a synoptic scale" and "Synoptic use of radiation measurements from satellite TIROS II." [Correspondence.] 287–288.
Climatological effect of changeover to hygrothermometer. (4 figs.) Benjamin Ratner. 89–96.
Climatology:
Areal frequencies of hail and thunderstorm days in Illinois. (2 figs.) Stanley A. Changnon, Jr. 519–524.
Climatological effect of changeover to hygrothermometer. (4 figs.) Benjamin Ratner. 89–96.
Iowa tornadoes. (8 figs.) H. R. Spohn and P. J. Waite. 398–406.
A method of integrating a radiometer output for climatological studies. (9 figs.) C. Ray Dickson. 385–390.
The nature of growing season frosts in and along the Platte Valley of Nebraska. (1 fig.) Norman J. Rosenberg and Richard E. Myers. 471–476.
North Atlantic tropical cyclone activity, 1901–1960. (10 figs.) G. W. Cry and W. H. Haggard. 341–349.
Possible inhomogeneity of the variance of the freeze hazard distribution over Arizona. (1 fig.) Paul C. Kangieser. 68–70.
Rainfall probabilities during the crop season in southern Lower Michigan. (6 figs.) A. H. Eichmeier and W. D. Baten. 277–282.
Seasonal temperature and precipitation trends at five Minnesota stations. (1 fig.) Donald G. Baker. 283–286.
Variations in the annual frequency of tropical cyclones, 1886–1958. (5 figs.) C. L. Jordan and Te-Chun Ho. 157–164.
Clouds:
Mountain waves in the Appalachians. (9 figs.) Charles V. Lindsay. 271–276.
An observation of arcus and funnel clouds over Chesapeake Bay. (10 figs.) [Weather Note] Paul L. Hexter, Jr. 225–230.
Satellite pictures of mesoscale eddies. (4 figs.) L. F. Hubert and A. F. Krueger. 457–463.
Clouds. Funnels:
An observation of arcus and funnel clouds over Chesapeake Bay. (10 figs.) [Weather Note] Paul L. Hexter, Jr. 225–230.
Cold wave of January 8–11, 1962 in Montana. [Weather Note] R. A. Dightman. 174.
COLÓN, JOSÉ A.:
and Edward J. Zipser. Mean-layer wind charts in tropical analysis. (3 figs.) 465–470.
Comments on a Mississippi Valley cyclogenesis. (5 figs.) Edwin B. Fawcett. 437–442.
Comments on "The first waterspout discovered on satellite photographs." [Correspondence] Donald C. Gaby. 525. (Reply. L. F. Hubert. 525.)
Corrections. 48, 156, 418, 450, 490, 534.
Correspondence:
Comments on "Analysis of satellite infrared radiation measurements on a synoptic scale," and "Synoptic use of radiation measurements from satellite TIROS II." Philip F. Clapp. 287–288.
Comments on "Evidence for inertial oscillations along transosonde trajectories." Homer T. Mantis. 350. (Reply. J. K. Angell. 350, 370.)
Comments on "An Investigation of the meterological conditions associated with extreme wind tides on Lake Erie." D. N. McMullen. 216. (Reply. Shirley M. Irish and George W. Platzman. 216.)
Comments on "The first waterspout discovered on satellite photographs" Donald C. Gaby. 525. (Reply. L. F. Hubert. 525.)
Further comments on "The first waterspout discovered on satellite photographs." L. F. Hubert. 526.
CROCKETT, CURTIS W.:
and William H. Klein and Billy M. Lewis. Objective forecasts of daily and mean surface temperature. (6 figs.) 11–17.
CROUSER, Herman H.:
Wind speed measuring system, frequency type. (3 figs.) 23–25.
CRY, G. W.:
and W. H. Haggard. North Atlantic tropical cyclone activity, 1901–1960. (10 figs.) 341–349.
CULKOWSKI, WALTER M.:
An anomalous snow at Oak Ridge, Tennessee. (5 figs.) [Weather Note] 194–196.
Cyclogenesis:
Comments on a Mississippi Valley cyclogenesis. (5 figs.) Edwin B. Fawcett. 437–442.

D

Data processing procedures in numerical mesoanalysis. (22 figs.) George T. Dellert, Jr. 133–146.
DELLERT, GEORGE T., JR.:
Data processing procedures in numerical mesoanalysis. (22 figs.) 133–146.

DICKSON, C. RAY:
A method of integrating a radiometer output for climatological studies. (9 figs.) 385–390.
Diffusion:
Air trajectories and turbulence statistics from weather radar using tetroons and radar transponders. (17 figs.) Donald H. Pack. 491–506.
DIGHTMAN, R. A.:
Cold wave of January 8-11, 1962 in Montana. [Weather Note] 174.
Dispersion:
Atmospheric dispersion over Chesapeake Bay. (6 figs.) David H. Slade. 217–224.
On the use of tetroons for the estimation of atmospheric dispersion on the mesoscale. (5 figs.) J. K. Angell. 263–270.
DUNN, GORDON E.:
Note on tropical cyclones of 1961. (1 fig.) 362.
The tropical cyclone problem in East Pakistan. (3 figs.) 83–86.
and Staff, U.S. Weather Bureau Office, Miami. The hurricane season of 1961. (16 figs.) 107–119.

E

EICHMEIER, A. H.:
and W. D. Baten. Rainfall probabilities during the crop season in southern Lower Michigan. (6 figs.) 277–282.
The equivalence between certain statistical prediction methods and linearized dynamical methods. D. Lee Harris. 331–340.
Evaporation:
Modern evaporation formulae adapted for computer use. (1 fig.) Wallace W. Lamoreux. 26–28.
Evidence for inertial oscillations along transosonde trajectories. (6 figs.) J. K. Angell. 186–190.
An experiment in forecasting rainfall probabilities by objective methods. (5 figs.) Harry R. Glahn. 59–67.
Extensive area of persistent stratus and fog in Great Plains, November 27–December 2, 1961. (5 figs.) [Weather Note] Burton Handy. 200–202.

F

FAWCETT, EDWIN B.:
Comments on a Mississippi Valley cyclogenesis. (5 figs.) 437–442.
FAY, RICHARD:
Northbound tropical cyclone, A case history. (15 figs.) 351–361.
The first waterspout discovered on satellite photographs. [Weather Note] (2 figs.) L. F. Hubert. 382–384.
Floods:
An analysis of the causative factors of the February 1962 floods in Utah and eastern Nevada. (4 figs.) Eugene L. Peck and E. Arlo Richardson. 407–413.
Fog:
Extensive area of persistent stratus and fog in Great Plains, November 27–December 2, 1961. (5 figs.) [Weather Note] Burton Handy. 200–202.
Forecast problems during the life cycle of a cut-off Low, January 20–29, 1962. (13 figs.) Robert B. Ross and Harold M. Hess. 289–298.
Forecasts:
An experiment in forecasting rainfall probabilities by objective methods. (5 figs.) Harry R. Glahn. 59–67.
Forecast problems during the life cycle of a cut-off Low, January 20–29, 1962. (13 figs.) Robert B. Ross and Harold M. Hess. 289–298.
Objective forecasts of daily and mean surface temperature. (6 figs.) William H. Klein, Billy M. Lewis, and Curtis W. Crockett. 11–17.
Forecasts. Graphical:
A generalized two-level graphical forecast scheme. (8 figs.) T. N. Krishnamurti. 324–330.
Forecasts. Numerical:
Higher-order geostrophic wind approximations. (7 figs.) G. 'Arnason, G. J. Haltiner, and M. J. Frawley. 175–185.
An improved NWP model for forecasting the paths of tropical cyclones. (4 figs.) Lloyd W. Vanderman. 19–22.
FRAWLEY, M. J.:
and G. 'Arnason and G. J. Haltiner. Higher-order geostrophic wind approximations. (7 figs.) 175–185.
FREIER, GEORGE:
and Homer Mantis. An unusual hail formation. (4 figs.) [Weather note] 476–478.
FRITZ, SIGMUND:
Satellite pictures and the origin of hurricane Anna. (6 figs.) 507–513.
and T. H. MacDonald. Some normal incidence solar radiation observations during the IGY. (3 figs.) 241–244.
and Jay S. Winston. Synoptic use of radiation measurements from satellite TIROS II. (7 figs.) 1–9.
Further comments on "The first waterspout discovered on satellite photographs." [Correspondence] L. F. Hubert. 526.

G

GABY, DONALD C.:
Comments on "The first waterspout discovered on satellite photographs." [Correspondence] 525.
GARRETT, R. A.
and Vaughn D. Rockney. Tornadoes in northeastern Kansas, May 19, 1960. (6 figs.) 231–240.
A general relation between frequency and duration of precipitation. (1 fig.) Leonard L. Weiss. 87–88.

A generalized two-level graphical forecast scheme. (8 figs.) T. N. Krishnamurti. 324–330.

GLAHN, HARRY R.:
An experiment in forecasting rainfall probabilities by objective methods. (5 figs.) 59–67.

Gravity wave over New England, April 12, 1961. (5 figs.) A. James Wagner. 431–436.

Great Lakes:
Precipitation estimates in the Great Lakes drainage basins. Ivan W. Brunk. 79–82.

GREEN, RAYMOND A.:
The weather and circulation of December 1961—Strong blocking at high latitudes. (9 figs.) 121–126.
The weather and circulation of June 1962—A generally cool month. (6 figs.) 414–418.

GUTZMAN, W. L.:
An investigation of broadscale vertical motions and precipitation in an eastern North American storm. (9 figs.) 419–424.

H

HAGGARD, W. H.:
and G. W. Cry. North Atlantic tropical cyclone activity, 1901–1960. (10 figs.) 341–349.

Hail:
Areal frequencies of hail and thunderstorm days in Illinois. (2 figs.) Stanley A. Changnon, Jr. 519–524.
An unusual hail formation. (4 figs.) [Weather note] Homer Mantis and George Freier. 476–478.

HALTINER, G. J.:
and G. 'Arnason and M. J. Frawley. Higher-order geostrophic wind approximations. (7 figs.) 175–185.

HAMBIDGE, R. E.:
and H. P. Benner, L. B. Overaas, D. B. Smith, and J. A. Youngberg. Summer convective cell radar patterns over northern and central California. (9 figs.) 425–430.

HANDY, Burton:
Extensive area of persistent stratus and fog in Great Plains November 27–December 2, 1961. (5 figs.) [Weather note] 200–202

HARGER, GRADEN:
and John D. Warden. A radar echo configuration associated with a series of waterspouts. (3 figs.) [Weather note] 197–200.

HARRIS, D. LEE:
The equivalence between certain statistical prediction methods and linearized dynamical methods. 331–340.

Hawaii:
Synoptic patterns for wet and dry trades on the Island of Hawaii. (11 figs.) Richard K. Siler. 103–106.

HESS, HAROLD M.:
and Robert B. Ross. Forecast problems during the life cycle of a cut-off Low, January 20–29, 1962. (13 figs.) 289–298.

HEXTER, PAUL L., JR.:
An observation of arcus and funnel clouds over Chesapeake Bay. (10 figs.) [Weather note] 225–230.

Higher-order geostrophic wind approximations. (7 figs.) G. 'Arnason, G. J. Haltiner, and M. J. Frawley. 175–185.

HO, TE-CHUN:
and C. L. Jordan. Variations in the annual frequency of tropical cyclones, 1886–1958. (5 figs.) 157–164.

HOOSE, HARRY M.:
Operational use of weather radar composites in Florida. (13 figs.) 375–381.

HUBERT, L. F.:
The first waterspout discovered on satellite photographs. [Weather note] (2 figs.) 382–384.
Further comments on "The first waterspout discovered on satellite photographs." [Correspondence.] 526.
and A. F. Krueger. Satellite pictures of mesoscale eddies. (4 figs.) 457–463.

HUBERT, WILLIAM E.:
Rocket observations of high level meridional flow over North America during 1960 and 1961. (3 figs.) 259–262.

HUGHES, PATRICK E.:
and Richard A. Wood. The inversion "bright band"—A feature of three winter storms. (9 figs.) 97–102.

Hurricane movement and variable location of high intensity spot in wall cloud radar echo. (3 figs.) S. Neuman and J. G. Boyd. 371–374.

The hurricane season of 1961. (16 figs.) Gordon E. Dunn and staff, U.S. Weather Bureau Office, Miami. 107–119.

Hurricanes (see also tropical storms, typhoons):
Hurricane movement and variable location of high intensity spot in wall cloud radar echo. (3 figs.) S. Neuman and J. G. Boyd. 371–374.
The hurricane season of 1961. (16 figs.) Gordon E. Dunn and Staff, U.S. Weather Bureau Office, Miami. 107–119.
An improved NWP model for forecasting the paths of tropical cyclones. (4 figs.) Lloyd W. Vanderman. 19–22.
On hurricane Alice of 1954–1955. (3 figs.) [Weather note] Thomas H. R. O'Neill and C. L. Jordan. 363–364.
On the occurrence of dynamic instability in incipient and developing hurricanes. (12 figs.) M. A. Alaka. 49–58.

Hurricanes—Continued
Satellite pictures and the origin of hurricane Anna. (6 figs.) 507–513.
Tornadoes associated with hurricane Carla, 1961. (3 figs.) [Weather note] Alexander Sadowski. 514–516.

I

Illinois:
Areal frequencies of hail and thunderstorm days in Illinois. (2 figs.) Stanley A. Changnon. 519–524.
An improved NWP model for forecasting the paths of tropical cyclones. (4 figs.) Lloyd W. Vanderman. 19–22.
The influence of inertial instability upon transosonde trajectories and some forecast implications (6 figs.) J. K. Angell. 245–251.
Instability, Inertial:
The influence of inertial instability upon transosonde trajectories and some forecast implications. (6 figs.) J. K. Angell. 245–251.
Instruments:
A method of integrating a radiometer output for climatological studies. (9 figs.) C. Ray Dickson. 385–390.
Wind speed measuring system, frequency type. (3 figs.) Herman H. Crouser. 23–25.
International Geophysical Year:
Some normal-incidence solar radiation observations during the IGY. (3 figs.) S. Fritz and T. H. MacDonald. 241–244.
The inversion "bright band"—A feature of three winter storms. (9 figs.) Patrick E. Hughes and Richard A. Wood. 97–102.
An investigation of broadscale vertical motions and precipitation in an eastern North American storm. (9 figs.) W. L. Gutzman. 419–424.
An investigation of the meteorological conditions associated with extreme wind tides on Lake Erie. (10 figs.) Shirley M. Irish and George W. Platzman. 39–47. (Comments on above by D. N. McMullen and reply by authors. 216.)
Iowa:
Iowa tornadoes. (8 figs.) H. R. Spohn and P. J. Waite. 398–406.
IRISH, SHIRLEY M.:
and George W. Platzman. An investigation of the meteorological conditions associated with extreme wind tides on Lake Erie. (10 figs.) 39–47. (Comments on above by D. N. McMullen and reply by authors. 216.)

J

JORDAN, C. L.:
Surface pressure oscillations during a typhoon passage at Okinawa. (5 figs.) [Weather note] 191–193.
JORDAN, C. L.—Continued
and Te-Chun Ho. Variations in the annual frequency of tropical cyclones, 1886–1958. (5 figs.) 157–164.
and Thomas H. R. O'Neill. On hurricane Alice of 1954–1955. (3 figs.) [Weather note] 363–364.
JORGENSEN, DONALD L:
Note on the measurement of skill of probability forecasts. 479–482.

K

KANGIESER, PAUL C.:
Possible inhomogeneity of the variance of the freeze hazard distribution over Arizona. (1 fig.) 68–70.
KLEIN, WILLIAM H.:
and Billy M. Lewis and Curtis W. Crockett. Objective forecasts of daily and mean surface temperature. (6 figs.) 11–17.
KOHL, DOUGLAS A.:
Sferics amplitude distribution jump identification of a tornado event. (5 figs.) 451–456.
KORSHOVER, J.:
and J. K. Angell. The biennial wind and temperature oscillations of the equatorial stratosphere and their possible extension to higher latitudes. (7 figs.) 127–132.
KRISHNAMURTI, T. N.:
A generalized two-level graphical forecast scheme. (8 figs.) 324–330.
KRUEGER, A. F.:
and L. F. Hubert. Satellite pictures of mesoscale eddies. (4 figs.) 457–463.

L

Lake Erie:
An investigation of the meteorological conditions associated with extreme wind tides on Lake Erie. (10 figs.) Shirley M. Irish and George W. Platzman. 39–47. (Comments on above by D. N. McMullen and reply by authors. 216.)
LAMOREUX, WALLACE W.:
Modern evaporation formulae adapted to computer use. (1 fig.) 26–28.
LEE, RICHARD:
Theory of the "Equivalent Slope." (1 fig.) 165–166.
LEWIS, BILLY M.:
and William H. Klein and Curtis W. Crockett. Objective forecasts of daily and mean surface temperature. (6 figs.) 11–17.
LINDSAY, CHARLES V.:
Mountain waves in the Appalachians. (9 figs.) 271–276.

M

MACDONALD, T.H.:
and S. Fritz. Some normal-incidence solar radiation observations during the IGY. (3 figs.) 241–244.
MCMULLEN, D. N.:
Comments on "An investigation of the meteorological conditions associated with extreme wind tides on Lake Erie." 216. (Reply. Shirley M. Irish and George W. Platzman. 216.)
The magnitude and effect of analysis errors over the northeastern Pacific as estimated from transosonde data. (6 figs.) J. K. Angell. 391–397.
MANTIS, HOMER T.:
Comments on "Evidence for inertial oscillations along transosonde trajectories." [Correspondence.] 350.
and George Freier. An unusual hail formation. (4 figs.) [Weather note] 476–478.
Map analysis:
The magnitude and effect of analysis errors over the northeastern Pacific as estimated from transosonde data. (6 figs.) J. K. Angell. 391–397.
Mean-layer wind charts in tropical analysis. (3 figs.) José A. Colón and Edward J. Zipser. 465–470.
Mean-layer wind charts in tropical analysis. (3 figs.) José A. Colón and Edward J. Zipser. 465–470.
Mesoanalysis:
Data processing procedures in numerical mesoanalysis. (22 figs.) George T. Dellert, Jr. 133–146.
Mesosphere:
Rocket observations of high level meridional flow over North America during 1960 and 1961. (3 figs.) William E. Hubert. 259–262.
A method of integrating a radiometer output for climatological studies. (9 figs.) C. Ray Dickson. 385–390.
Michigan:
Rainfall probabilities during the crop season in southern Lower Michigan. (6 figs.) A. H. Eichmeier and W. D. Baten. 277–282.
Minnesota:
Seasonal temperature and precipitation trends at five Minnesota stations. (1 fig.) Donald G. Baker. 283–286.
Modern evaporation formulae adapted for computer use. (1 fig.) Wallace W. Lamoreux. 26–28.
Montana:
Cold wave of January 8–11, 1962 in Montana. [Weather note] R. A. Dightman. 174.
Mountain waves in the Appalachians. (9 figs.) Charles V. Lindsay. 271–276.
MYERS, RICHARD E.:
and Norman J. Rosenberg. The nature of growing season frosts in and along the Platte Valley of Nebraska. (1 fig.) 471–476.

N

The nature of growing season frosts in and along the Platte Valley of Nebraska. (1 fig.) Norman J. Rosenberg and Richard E. Myers. 471–476.
Nebraska:
The nature of growing season frosts in and along the Platte Valley of Nebraska. (1 fig.) Norman J. Rosenberg and Richard E. Myers. 471–476.
NEUMAN, S.:
and J. G. Boyd. Hurricane movement and variable location of high intensity spot in wall cloud radar echo. (3 figs.) 371–374.
North Atlantic tropical cyclone activity, 1901–1960. (10 figs.) G. W. Cry and W. H. Haggard. 341–349.
Northbound tropical cyclone, A case history. (15 figs). Richard Fay. 351–361.
Note on the measurement of skill of probability forecasts. Donald L. Jorgensen. 479–482.
Note on tropical cyclones of 1961. (1 fig.) Gordon E. Dunn. 362.
Numerical analysis:
Data processng procedures in numerical mesoanalysis. (22 figs.) George T. Dellert, Jr. 133–146.
Some problems of numerical objective analysis of stratospheric constant pressure surfaces. (8 figs.) Sidney Teweles and Mirco Snidero. 147–155.
Numerical prediction:
The equivalence between certain statistical prediction methods and linearized dynamical methods. D. Lee Harris. 331–340.

O

Objective forecasts of daily and mean surface temperature. (6 figs.) William H. Klein, Billy M. Lewis, and Curtis W. Crockett. 11–17.
An observation of arcus and funnel clouds over Chesapeake Bay. (10 figs.) [Weather note] Paul L. Hexter, Jr. 225–230.
O'CONNOR, JAMES F.:
The weather and circulation of October 1961—Retrogression of planetary waves in the Western Hemisphere. (12 figs.) 29–38.
The weather and circulation of May 1962—Record heat in the Mid-West. (6 figs.) 365–370.
The weather and circulation of September 1962—Another cool month. (8 figs.) 527–534.

O'NEILL, THOMAS H. R.:
and C. L. Jordan. On hurricane Alice of 1954–1955. (3 figs.) [Weather note] 363–364.
On hurricane Alice of 1954–1955. (3 figs.) [Weather note] Thomas H. R. O'Neill and C. L. Jordan. 363–364.
On the occurrence of dynamic instability in incipient and developing hurricanes. (12 figs.) M. A. Alaka. 49–58.
On the use of tetroons for the estimation of atmospheric dispersion on the mesoscale. (5 figs.) J. K. Angell. 263–270.
On transformation of kinetic energy between the vertical shear flow and the vertical mean flow in the atmosphere. (5 figs.) A. Wiin-Nielsen. 311–323.
Operational use of weather radar composites in Florida. (13 figs.) Harry M. Hoose. 375–381.
OVERAAS, L. B.:
and H. P. Benner, R. E. Hambidge, D. B. Smith, and J. A. Youngberg. Summer convective cell radar patterns over northern and central California. (9 figs.) 425–430.

P

PACK, DONALD H.:
Air trajectories and turbulence statistics from weather radar using tetroons and radar transponders. (17 figs.) 491–506.
Pakistan:
The tropical cyclone problem in East Pakistan. (3 figs.) Gordon E. Dunn. 83–86.
PECK, EUGENE L.:
and E. Arlo Richardson. An analysis of the causative factors of the February 1962 floods in Utah and eastern Nevada. (4 figs.) 407–413.
A pinwheel cloud formation as viewed by TIROS I. (2 figs.) [Weather note] R. W. White. 517–518.
PLATZMAN, GEORGE W.:
and Shirley M. Irish. An investigation of the meteorological conditions associated with extreme wind tides on Lake Erie. (10 figs.) 39–47. (Comments on above by D. N. McMullen and reply by authors. 216.)
POSEY, JULIAN W.:
The weather and circulation of March 1962—A month with an unusually strong high-latitude block. (10 figs.) 252–258.
Possible inhomogeneity of the variance of the freeze hazard distribution over Arizona. (1 fig.) Paul C. Kangieser. 68–70.
Precipitation estimates in the Great Lakes drainage basins. Ivan W. Brunk. 79–82.
Precipitation:
An anomalous snow at Oak Ridge, Tennessee. (5 figs.) [Weather note] Walter M. Culkowski. 194–196.
Precipitation—Continued
An experiment in forecasting rainfall probabilities by objective methods. (5 figs.) Harry R. Glahn. 59–67.
A general relation between frequency and duration of precipitation. (1 fig.) Leonard L. Weiss. 87–88.
An investigation of broadscale vertical motions and precipitation in an eastern North American storm. (9 figs.) W. L. Gutzman. 419–424.
Precipitation estimates in the Great Lakes drainage basins. Ivan W. Brunk. 79–82.
Rainfall probabilities during the crop season in southern Lower Michigan. (6 figs.) A. H. Eichmeier and W. D. Baten. 277–282.
Seasonal temperature and precipitation trends at five Minnesota stations. (1 fig.) Donald G. Baker. 283–286.
Synoptic patterns for wet and dry trades on the Island of Hawaii. (11 figs.) Richard K. Siler. 103–106.
Preliminary study of planetary-scale outgoing long-wave radiation as derived from TIROS II measurements. (4. figs.) Jay S. Winston and P. Krishna Rao. 307–310.
Pressure:
Cold wave of January 8–11, 1962 in Montana. [Weather note] R. A. Dightman. 174.
Gravity wave over New England, April 12, 1961. (5 figs.) A. James Wagner. 431–436.
Surface pressure oscillations during a typhoon passage at Okinawa. (5 figs.) [Weather note] C. L. Jordan. 191–193.
Probability forecasts:
Note on the measurement of skill of probability forecasts. Donald L. Jorgensen. 479–482.
Publications by Weather Bureau authors. 10, 120, 224, 282, 489.
Publications, New Weather Bureau. 18, 156, 413, 490.

R

A radar echo configuration associated with a series of waterspouts. (3 figs.) [Weather note] Graden Harger and John D. Warden. 197–200.
Radar meteorology:
Hurricane movement and variable location of high intensity spot in wall cloud radar echo. (3 figs.) S. Neuman and J. G. Boyd. 371–374.
The inversion "bright band"—A feature of three winter storms. (9 figs.) Patrick E. Hughes and Richard A. Wood. 97–102.
Mountain waves in the Appalachians. (9 figs.) Charles V. Lindsay. 271–276.
An observation of arcus and funnel clouds over Chesapeake Bay. (10 figs.) [Weather note] Paul L. Hexter, Jr. 225–230.

Radar meteorology—Continued
On hurricane Alice of 1954–1955. (3 figs.) [Weather note] Thomas H. R. O'Neill and C. L. Jordan. 363–364.
Operational use of weather radar composites in Florida. (13 figs.) Harry M. Hoose. 375–381.
A radar echo configuration associated with a series of waterspouts. (3 figs.) [Weather note] Graden Harger and John D. Warden. 197–200.
Summer convective cell radar patterns over northern and central California. (9 figs.) H. P. Benner, R. E. Hambidge, L. B. Overaas, D. B. Smith, and J. A. Youngberg. 425–430.
Tornadoes in northeastern Kansas, May 19, 1960. (6 figs.) R. A. Garrett and Vaughn D. Rockney. 231–240.
Radiation measurements:
Synoptic use of radiation measurements from satellite TIROS II. (7 figs.) Sigmund Fritz and Jay S. Winston. 1–9.
Radiation, solar:
Some normal-incidence solar radiation observations during the IGY. (3 figs.) S. Fritz and T. H. MacDonald. 241–244.
Theory of the "Equivalent Slope." (1 fig.) Richard Lee. 165–166.
Radiation. Terrestrial:
Comments on "Analysis of satellite infrared radiation measurements on a synoptic scale," and "Synoptic use of radiation measurements from satellite TIROS II." Philip F. Clapp. 287–288.
Preliminary study of planetary-scale outgoing long-wave radiation as derived from TIROS II measurements. (4 figs.) Jay S. Winston and P. Krishna Rao. 307–310.
Rainfall probabilities during the crop season in southern Lower Michigan. (6 figs.) A. H. Eichmeier and W. C. Baten. 277–282.
RAO, P. KRISHNA:
and Jay S. Winston. Preliminary study of planetary-scale outgoing long-wave radiation as derived from TIROS II measurements. (4 figs.) 307–310.
RATNER, BENJAMIN:
Climatological effect of changeover to hygrothermometer. (4 figs.) 89–96.
Recent articles in other Weather Bureau periodicals. 48, 240, 464.
REED, RICHARD J.:
Some features of the annual temperature regime in the tropical stratosphere. (4 figs.) 211–215.
RICHARDSON, E. ARLO:
and Eugene L. Peck. An analysis of the causative factors of the February 1962 floods in Utah and eastern Nevada. (4 figs.) 407–413.
Rocket observations of high level meridional flow over North America during 1960 and 1961. (3 figs.) William E. Hubert. 259–262.
ROCKNEY, VAUGHN D.:
and R. A. Garrett. Tornadoes in northeastern Kansas, May 19, 1960. (6 figs.) 231–240.
ROSENBERG, NORMAN J.:
and Richard E. Myers. The nature of growing season frosts in and along the Platte Valley of Nebraska. (1 fig.) 471–476.
ROSS, ROBERT B.:
and Harold M. Hess. Forecast problems during the life cycle of a cut-off Low, January 20–29, 1962. (13 figs.) 289–298.

S

SADOWSKI, ALEXANDER:
Tornadoes associated with hurricane Carla, 1961. (3 figs.) [Weather note] 514–516.
Satellite meteorology:
Comments on "Analysis of satellite infrared radiation measurements on a synoptic basis," and "Synoptic use of radiation measurements from satellite TIROS II." Philip F. Clapp. 287–288.
Comments on "The first waterspout discovered on satellite photographs." [Correspondence] Donald C. Gaby. 525.
The first waterspout discovered on satellite photographs. [Weather note] (2 figs.) L. F. Hubert. 382–384.
Further comments on "The first waterspout discovered on satellite photographs." [Correspondence] L. F. Hubert. 526.
A pinwheel cloud formation as viewed by TIROS I. (2 figs.) [Weather note] R. W. White. 517–518.
Preliminary study of planetary-scale outgoing long-wave radiation as derived from TIROS II measurements. (4 figs.) Jay S. Winston and P. Krishna Rao. 307–310.
Satellite pictures and the origin of hurricane Anna. (6 figs.) Sigmund Fritz. 507–513.
Satellite pictures of mesoscale eddies. (4 figs.) L. F. Hubert and A. F. Krueger. 457–463.
Synoptic use of radiation measurements from satellite TIROS II. (7 figs.) Sigmund Fritz and Jay S. Winston. 1–9.
Satellite pictures and the origin of hurricane Anna. (6 figs.) Sigmund Fritz. 507–513.
Satellite pictures of mesoscale eddies. (4 figs.) L. F. Hubert and A. F. Krueger. 457–463.
Seasonal temperature and precipitation trends at five Minnesota stations. (1 fig.) Donald G. Baker. 283–286.
Sferics amplitude distribution jump identification of a tornado event. (5 figs.) Douglas A. Kohl. 451–456.

SILER, RICHARD K.:
Synoptic patterns for wet and dry trades on the Island of Hawaii. (11 figs.) 103–106.
Skill scores:
Note on the measurement of skill of probability forecasts. Donald L. Jorgensen. 479–482.
SLADE, DAVID H.:
Atmospheric dispersion over Chesapeake Bay. (6 figs.) 217–224.
SMITH, D. B.:
and H. P. Benner, R. E. Hambidge, L. B. Overaas, and J. A. Youngberg. Summer convective cell radar patterns over northern and central California. (9 figs.) 425–430.
SNIDERO, MIRCO:
and Sidney Teweles. Some problems of numerical objective analysis of stratospheric constant pressure surfaces. (8 figs.) 147–155.
Some features of the annual temperature regime in the tropical stratosphere. (4 figs.) Richard J. Reed. 211–215.
Some normal-incidence solar radiation observations during the IGY. (3 figs.) S. Fritz and T. H. MacDonald. 241–244.
Some problems of numerical objective analysis of stratospheric constant pressure surfaces. (8 figs.) Sidney Teweles and Mirco Snidero. 147–155.
SPOHN, H. R.:
and P. J. Waite. Iowa tornadoes. (8 figs.) 398–406.
STARK, L. P.:
The weather and circulation of January 1962—A month with large circulation changes and widespread cold. (10 figs.) 167–174.
The weather and circulation of August 1962—Another cool month in the North. (7 figs.) 483–488.
Storm surges:
The equivalence between certain statistical prediction methods and linearized dynamical methods. D. Lee Harris. 331–340.
Stratosphere:
The biennial wind and temperature oscillations of the equatorial stratosphere and their possible extension to higher latitudes. (7 figs.) J. K. Angell and J. Korshover. 127–132.
Rocket observations of high level meridional flow over North America during 1960 and 1961. (3 figs.) William E. Hubert. 259–262.
Some features of the annual temperature regime in the tropical stratosphere. (4 figs.) Richard J. Reed. 211–215.
Some problems of numerical objective analysis of stratospheric constant pressure surfaces. (8 figs.) Sidney Teweles and Mirco Snidero. 147–155.
Summer convective cell radar patterns over northern and central California. (9 figs.) H. P. Benner, R. E. Hambidge, L. B. Overaas, D. B. Smith, and J. A. Youngberg. 425–430.
Surface pressure oscillations during a typhoon passage at Okinawa. (5 figs.) [Weather note] C. L. Jordan. 191–193.
Synoptic patterns for wet and dry trades on the Island of Hawaii. (11 figs.) Richard K. Siler. 103–106.
Synoptic use of radiation measurements from satellite TIROS II. (7 figs.) Sigmund Fritz and Jay S. Winston. 1–9.

T

Temperature:
Climatological effect of changeover to hygrothermometer. (4 figs.) Benjamin Ratner. 89–96.
Cold wave of January 8–11, 1962 in Montana. [Weather note] R. A. Dightman. 174.
The nature of growing season frosts in and along the Platte Valley of Nebraska. (1 fig.) Norman J. Rosenberg and Richard E. Myers. 471–476.
Objective forecasts of daily and mean surface temperature. (6 figs.) William H. Klein, Billy M. Lewis, and Curtis W. Crockett. 11–17.
Possible inhomogeneity in the variance of the freeze hazard distribution over Arizona. (1 fig.) Paul C. Kangieser. 68–70.
Seasonal temperature and precipitation trends at five Minnesota stations. (1 fig.) Donald G. Baker. 283–286.
Temperature. Stratospheric:
The biennial wind and temperature oscillations of the equatorial stratosphere and their possible extension to higher latitudes. (7 figs.) J. K. Angell and J. Korshover. 127–132.
Some features of the annual temperature regime in the tropical stratosphere. (4 figs.) Richard J. Reed. 211–215.
TEWELES, SIDNEY:
and Mirco Snidero. Some problems of numerical objective analysis of stratospheric constant pressure surfaces. (8 figs.) 147–155.
Theory of the "Equivalent Slope." (1 fig.) Richard Lee. 165–166.
Thunderstorms:
Areal frequencies of hail and thunderstorm days in Illinois. (2 figs.) Stanley A. Changnon. 519–524.
Tides. Wind:
An investigation of the meteorological conditions associated with extreme wind tides on Lake Erie. (10 figs.) Shirley M. Irish and George W. Platzman. 39–47. (Comments on above by D. N. McMullen and reply by authors. 216.)

TIROS:
A pinwheel cloud formation as viewed by TIROS I. (2 figs.) [Weather note] R. W. White. 517–518.
Preliminary study of planetary-scale outgoing long-wave radiation as derived from TIROS II measurements. (4 figs.) Jay S. Winston and P. Krishna Rao. 307–310.
Satellite pictures of mesoscale eddies. (4 figs.) L. F. Hubert and A. F. Krueger. 457–463.
Synoptic use of radiation measurements from satellite TIROS II. (7 figs.) Sigmund Fritz and Jay S. Winston. 1–9.
Tornadoes associated with hurricane Carla, 1961. (3 figs.) [Weather note] Alexander Sadowski. 514–516.
Tornadoes in northeastern Kansas, May 19, 1960. (6 figs.) R. A. Garrett and Vaughn D. Rockney. 231–240.
Tornadoes:
Iowa tornadoes. (8 figs.) H. R. Spohn and P. J. Waite. 398–406.
Sferics amplitude distribution jump identification of a tornado event. (5 figs.) Douglas A. Kohl. 451–456.
Tornadoes associated with hurricane Carla, 1961. (3 figs.) [Weather note] Alexander Sadowski. 514–516.
Tornadoes in northeastern Kansas, May 19, 1960. (6 figs.) R. A. Garrett and Vaughn D. Rockney. 231–240.
The tropical cyclone problem in East Pakistan. (3 figs.) Gordon E. Dunn. 83–86.
Tropical meteorology:
Mean-layer wind charts in tropical analysis. (3 figs.) José A. Colón and Edward J. Zipser. 465–470.
Tropical storms (see also hurricanes, typhoons):
North Atlantic tropical cyclone activity, 1901–1960. (10 figs.) G. W. Cry and W. H. Haggard. 341–349.
Northbound tropical cyclone, A case history. (15 figs.) Richard Fay. 351–361.
Note on tropical cyclones of 1961. (1 fig.) Gordon E. Dunn. 362.
The tropical cyclone problem in East Pakistan. (3 figs.) Gordon E. Dunn. 83–86.
Variations in the annual frequency of tropical cyclones, 1886–1958. (5 figs.) C. L. Jordan and Te-Chun Ho. 157–164.
Turbulence:
Air trajectories and turbulence statistics from weather radar using tetroons and radar transponders. (17 figs.) Donald H. Pack. 491–506.
Mountain waves in the Appalachians. (9 figs.) Charles V. Lindsay. 271–276.
Typhoons (see also tropical storms, hurricanes):
Surface pressure oscillations during a typhoon passage at Okinawa. (5 figs.) [Weather note] C. L. Jordan. 191–193.

U

An unusual hail formation. (4 figs.) [Weather note] Homer Mantis and George Freier. 476–478.

V

VANDERMAN, LLOYD W.:
An improved NWP model for forecasting the paths of tropical cyclones. (4 figs.) 19–22.
Variations in the annual frequency of tropical cyclones, 1886–1958. (5 figs.) C. L. Jordan and Te-Chun Ho. 157–164.
Verification:
Note on the measurement of skill of probability forecasts. Donald L. Jorgensen. 479–482.

W

WAGNER, A. JAMES:
Gravity wave over New England, April 12, 1961. (5 figs.) 431–436.
WAITE, P. J.:
and H. R. Spohn. Iowa tornadoes. (8 figs.) 398–406.
WARDEN, JOHN D.:
and Graden Harger. A radar echo configuration associated with a series of waterspouts. (3 figs.) [Weather note] 197–200.
Waterspout:
The first waterspout discovered on satellite photographs. [Weather note] (2 figs.) L. F. Hubert. 382–384. (Comments by Donald C. Gaby and L. F. Hubert. 525–526.)
A radar echo configuration associated with a series of waterspouts. (3 figs.) [Weather note] Graden Harger and John D. Warden. 197–200.
Weather, U.S.:
Cold wave of January 8–11, 1962 in Montana. [Weather note] R. A. Dightman. 174.
Extensive area of persistent stratus and fog in Great Plains November 27–December 2, 1961. (5 figs.) [Weather note] Burton Handy. 200–202.
The hurricane season of 1961. (16 figs.) Gordon E. Dunn and Staff, U.S. Weather Bureau Office, Miami. 107–119.
The weather and circulation of October 1961—Retrogression of planetary waves in the Western Hemisphere. (12 figs.) James F. O'Connor. 29–38.
The weather and circulation of November 1961. (7 figs.) Charles M. Woffinden. 71–78.

Weather, U.S.—Continued
The weather and circulation of December 1961—Strong blocking at high latitudes. (9 figs.) Raymond A. Green. 121–126.
The weather and circulation of January 1962—A month with large circulation changes and widespread cold. (10 figs.) L. P. Stark. 167–174.
The weather and circulation of February 1962—A month with two contrasting regimes associated with a sharp drop in zonal index. (11 figs.) James F. Andrews. 203–210.
The weather and circulation of March 1962—A month with an unusually strong high-latitude block. (10 figs.) Julian W. Posey. 252–258.
The weather and circulation of April 1962—A month with persistent blocking in the Pacific. (9 figs.) Charles M. Woffinden. 299–305.
The weather and circulation of May 1962—Record heat in the Mid-West. (6 figs.) James F. O'Connor. 365–370.
The weather and circulation of June 1962—A generally cool month. (6 figs.) Raymond A. Green. 414–418.
The weather and circulation of July 1962—A cool month associated with a strong blocking wave. (10 figs.) James F. Andrews. 443–450.
The weather and circulation of August 1962—Another cool month in the North. (7 figs.) L. P. Stark. 483–488.
The weather and circulation of September 1962—Another cool month. (8 figs.) James F. O'Connor. 527–534.
Weather analysis:
Comments on a Mississippi Valley cyclogenesis. (5 figs.) Edwin B. Fawcett. 437–442.
An investigation of broadscale vertical motions and precipitation in an eastern North American storm. (9 figs.) W. L. Gutzman. 419–424.
Weather Notes:
An anomalous snow at Oak Ridge, Tennessee. (5 figs.) Walter M. Culkowski. 194–196.
Cold wave of January 8–11, 1962 in Montana. R. A. Dightman. 174.
Extensive area of persistent stratus and fog in Great Plains November 27–December 2, 1961. (5 figs.) Burton Handy. 200–202.
The first waterspout discovered on satellite photographs. (2 figs.) L. F. Hubert. 382–384.
On hurricane Alice 1954–1955. (3 figs.) Thomas H. R. O'Neill and C. L. Jordan. 363–364.
A pinwheel cloud formation as viewed by TIROS I. (2 figs.) R. W. White. 517–518.
A radar echo configuration associated with a series of waterspouts. (3 figs.) Graden Harger and John D. Warden. 197–200.
Surface pressure oscillations during a typhoon passage at Okinawa. (5 figs.) C L. Jordan. 191–193.
Weather Notes—Continued
Tornadoes associated with hurricane Carla, 1961. (3 figs.) Alexander Sadowski. 514–516.
An unusual hail formation. (4 figs.) Homer Mantis and George Freier. 476–478.
WHITE, R. W.:
A pinwheel cloud formation as viewed by TIROS I (2 figs.) [Weather note] 517–518.
WEISS, LEONARD L.:
A general relation between frequency and duration of precipitation. (1 fig.) 87–88.
WIIN-NIELSEN, A.:
On transformation of kinetic energy between the vertical shear flow and the vertical mean flow in the atmosphere. (5 figs.) 311–323.
Wind speed measuring system, frequency type. (3 figs.) Herman H. Crouser. 23–25.
Winds:
Atmospheric dispersion over Chesapeake Bay. (6 figs.) David H. Slade. 217–224.
Evidence for inertial oscillations along transosonde trajectories. (6 figs.) J. K. Angell. 186–190.
Higher-order geostrophic wind approximations. (7 figs.) G. 'Arnason, G. J. Haltiner, and M. J. Frawley. 175–185.
Synoptic patterns for wet and dry trades on the Island of Hawaii. (11 figs.) Richard K. Siler. 103–106.
Wind speed measuring system, frequency type. (3 figs.) Herman H. Crouser. 23–25.
Winds. Stratospheric:
The biennial wind and temperature oscillations of the equatorial stratosphere and their possible extension to higher latitudes. (7 figs.) J. K. Angell and J. Korshover. 127–132.
Rocket observations of high level meridional flow over North America during 1960 and 1961. (3 figs.) William E. Hubert. 259–262.
WINSTON, JAY S.:
and P. Krishna Rao. Preliminary study of planetary-scale outgoing long-wave radiation as derived from TIROS II measurements. (4 figs.) 307–310.
and Sigmund Fritz. Synoptic use of radiation measurements from satellite TIROS II. (7 figs.) 1–9.
WOFFINDEN, CHARLES M.:
The weather and circulation of November 1961. (7 figs.) 71–78.
The weather and circulation of April 1962—A month with persistent blocking in the Pacific. (9 figs.) 299–305.
WOOD, RICHARD A.:
and Patrick E. Hughes. The inversion "bright band"—A feature of three winter storms. (9 figs.) 97–102.

Y

YOUNGBERG, J. A.:
and H. P. Benner, R. E. Hambidge, L. B. Overaas, and D. B. Smith. Summer convective cell radar patterns over northern and central California. (9 figs.) 425–430.

Z

ZIPSER, EDWARD J.:
and José A. Colón. Mean-layer wind charts in tropical analysis. (3 figs.) 465–470.

U.S. GOVERNMENT PRINTING OFFICE:1962